




AN INVESTIGATION OF THE IMPACT ON REEF ENVIRONMENTS OF CHANGING LAND-USE IN THE STANN CREEK DISTRICT OF BELIZE

**The Watershed Reef Interconnectivity Scientific Study
(WRIScS)
1997 – 2000**

Technical Report (Module 3 of Report Series)

Authors

**Rob Nunny BSc PhD
Marcos Santana
Peter Stone BSc PhD
Delia Tillet BSc MSc
Prof. Des Walling BA PhD**



copyright WRIScS 2001

This Study was co-funded by

The European Union



**and the Volunteers from
Raleigh International**

Project Managed by



Ambios Ltd



Raleigh International



University of Exeter

The WRIScS project was steered by a **Working Group** of Belizean organisations, listed below. The Working Group members previewed this report.

Coastal Zone Management Authority and Institute

PO Box 1884, Belize City

Fisheries Department

PO Box 148, Belize City

Hydrology Section in the National Meteorological Service

PO Box 717, Belize City

Agriculture Department

Central Farm, Belmopan

Department of the Environment

10-11 Ambergis Ave, Belmopan

Physical Planning Unit of the Ministry of Natural Resources and the Environment

Market Square, Belmopan

This document is a part of a Report Series which contains the following modules.

- M1. Project Leaflet**
- M2. Executive Summary**
- M3. Technical Report** (this Report)
- M4. Methodologies**
- M5. Presentations and Newsletters**

together with a Cdrom with Appendices containing data and software .

Full report sets and databases are lodged with the Working Group members listed above.

“But now I know that our world is no more permanent than a wave rising on the ocean. Whatever our struggles and triumphs, however we may suffer them, all too soon they bleed into a wash, just like watery ink on paper.”

Nitta Sayuri



CONTENTS

and Figure, Table and Plate Lists



SECTION 1. PREAMBLE

A.1	INTRODUCTION	1
<hr/>		
A.1.1	Background	2
A.1.2	Project Objectives	2
A.1.3	Logistics	3
A.1.3.1	Team Structure	3
A.1.3.2	Timing	4
A.1.4	Scientific Approach	4
A.1.4.1	Data Sources	4
A.1.4.2	Justification of Approach	4
A.1.4.3	Identification of Potencial Environmental Threats	6
A.1.5	Report Content	10
A.2	THE STUDY AREA	12
<hr/>		
A.2.1	Geographical Definition of Study Area	13
A.2.2	The Marine Environment	15
A.2.2.1	The Coastal Zone of Belize	15
A.2.2.2	The Coastal Zone within the WRISCS Study Area	16
A.2.3	Physical and Climatological Factors	19
A.2.3.1	Air Temperature	19
A.2.3.2	Rainfall	20
A.2.3.3	Hydrology	23
A.2.3.4	Geology	24
A.2.3.5	Soil Distribution and Characteristics	25
A.2.3.6	Slope	27
A.2.3.7	Vegetation	27
A.2.4	Current and Historical Landuse	29
A.2.4.1	Agricultural Potential of Land in the Stann Creek District	29
A.2.4.2	Developmnet of the Citrus and Bananas Industries in the Stann Creek District	30
A.2.4.3	Land-use Change within the Monitored Catchments	33
A.2.5	Demography	37
A.2.6	Socio-Economic Factors	39
A.2.6.1	Employment	39
A.2.6.2	Gross Domestic Product	40
A.2.6.3	Exports	41

SECTION B. RESULTS

B.1	WATER AND SEDIMENT MOVEMENT	42
B.1.1	<i>Source to Sink - an introduction to the natural system</i>	43
B.1.2	<i>Freshwater Runoff</i>	46
B.1.2.1	<i>Data Collection</i>	46
B.1.2.2	<i>Stage-Discharge Rating Relationships</i>	46
B.1.2.3	<i>Discharge Characteristics of Rivers in the Study Area; monthly discharge and runoff</i>	48
B.1.2.4	<i>Discharge Characteristics of Rivers in the study are; flow duration and flood events</i>	50
B.1.2.5	<i>Discharge Characteristics of Rivers in the Study Area; through-basin variability</i>	54
B.1.3	<i>River Suspended Sediment Loads</i>	57
B.1.3.1	<i>Data Collection</i>	57
B.1.3.2	<i>Turbidity Probe Calibration</i>	57
B.1.3.3	<i>Suspended Sediment Discharge Characteristics</i>	60
B.1.3.4	<i>Suspended Sediment Loads</i>	66
B.1.3.5	<i>Single Suspended Sediment Event Characteristics</i>	70
B.1.4	<i>Coastal Water Circulation</i>	73
B.1.4.1	<i>Data Collection and Analysis</i>	73
B.1.4.2	<i>Controlling Parameters</i>	75
B.1.4.3	<i>Current Meter Data</i>	81
B.1.4.4	<i>Salinity and Temperature</i>	95
B.1.5	<i>Suspended Sediments in Coastal Waters</i>	106
B.1.5.1	<i>Data Collection and Analysis</i>	106
B.1.5.2	<i>Controlling Parameters</i>	107
B.1.5.3	<i>Temporal Variations in Turbidity</i>	107
B.1.5.4	<i>Spatial Patterns of Turbidity</i>	115
B.1.5.5	<i>Vertical Variation in Turbidity</i>	123
B.1.5.6	<i>Suspended Sediment Traps</i>	128
B.2	SEDIMENTARY DEPOSITS	134
B.2.1	<i>River Floodplain Deposits</i>	135
B.2.1.1	<i>Core-sample Collection Methodology</i>	135
B.2.1.2	<i>Dating of Core Sections</i>	136
B.2.1.3	<i>Carbon, Nitrogen and Phosphorus Content of Core Sections</i>	141
B.2.1.4	<i>Trace Organic Compounds in Floodplain Soil Samples</i>	144
B.2.2	<i>River Suspended Sediment Characteristics</i>	147
B.2.2.1	<i>Sample Collection</i>	147
B.2.2.2	<i>Particle-Size of Suspended Sediment</i>	147
B.2.2.3	<i>Concentration of Trace Metals in River Sediments</i>	148
B.2.2.4	<i>Concentration of Carbon, Nitrogen, Phosphorus and Radionuclides in River Sediments</i>	153



B.2.3	<i>Physical Characteristics of Coastal Sediments</i>	155
B.2.3.1	<i>Data Collection and Analysis</i>	155
B.2.3.2	<i>Bathymetry and Geomorphology of the Study Area</i>	155
B.2.3.3	<i>Physical Characteristics of Seabed Sediments - spatial variation.</i>	158
B.2.3.4	<i>Physical Characteristics of Seabed Sediments - vertical variation.</i>	170
B.2.3.5	<i>Distribution of Substrate Types as Defined by Acoustic Mapping</i>	176
B.2.4	<i>Contaminants In Coastal Sediments And Corals</i>	188
B.2.4.1	<i>Sample Collection and Analysis</i>	188
B.2.4.2	<i>Trace Organic Compounds in Seabed Surface Sediments</i>	189
B.2.4.3	<i>Trace Metals in Seabed Sediments</i>	192
B.2.4.4	<i>Trace Metals in Trap Samples</i>	212
B.2.4.5	<i>Trace Metals in Corals</i>	213
B.2.5	<i>Coral Habitats</i>	215
B.2.5.1	<i>Data Collection and Analysis</i>	215
B.2.5.2	<i>Objectives of the Coral Habitat Mapping</i>	215
B.2.5.3	<i>Description of the Datasets</i>	217
B.2.5.4	<i>Site Characteristics</i>	230
B.2.5.5	<i>Inter-Site Comparisons</i>	255

SECTION C. MODELS

C.1 WATERSHED SOURCES AND PROCESSES



C.1.1	<i>Suspended Sediment Source Discrimination</i>	262
C.1.1.1	<i>Data Collection</i>	262
C.1.1.2	<i>Description of the Mixing Model.</i>	262
C.1.1.3	<i>Mixing Model Results</i>	264
C.1.2	<i>Water, Suspended Sediment and Contaminant Delivery</i>	273
C.1.2.1	<i>River Water Discharge Statistics</i>	273
C.1.2.2	<i>Suspended Sediment Yields</i>	276
C.1.2.3	<i>Predictions of Sediment Yield under Extreme Conditions</i>	282
C.1.2.4	<i>Contaminant Transport</i>	284
C.1.2.5	<i>Historical Evidence for the Effect of Land-Use Change on Sediments Properties</i>	285
C.1.2.6	<i>A Summary Suspended Sediment Budget.</i>	288

C.2	MOVEMENT OF FINE SEDIMENT TO THE REEF	289
C.2.1	<i>Suspended Sediment Dispersion in the Coastal Zone</i>	290
C.2.1.1	<i>Sources of Water and Fine sediment</i>	290
C.2.1.2	<i>Water Advection</i>	291
C.2.1.3	<i>Diffusion</i>	293
C.2.1.4	<i>Vertical Diffusion and Particle Settling</i>	294
C.2.1.5	<i>A Model for Sediment Depletion from Suspension</i>	297
C.2.2	<i>The Channel as a Sediment Sink</i>	300
C.2.2.1	<i>Channel Bed Sediment Resuspension Processes</i>	300
C.2.2.2	<i>A Conceptual Model of Sediment Accumulation in the Channel</i>	303
C.2.2.3	<i>The Fate of River Sediments</i>	306
C.2.3	<i>Marine Effects of Land-Use Changes</i>	309
C.2.3.1	<i>Water Quality at the Reef</i>	309
C.2.3.2	<i>Sediment Accumulation Rates</i>	311
C.2.3.3	<i>Contamination Associated with Sediments</i>	311
C.2.3.4	<i>Fluvial Influences on Coral Biotopes</i>	314

SECTION D. ISSUES


D.1	SYNTHESIS OF FINDINGS	319
D.2.	LIMITATIONS OF THE STUDY	321
D.2.1	<i>Data-Gathering Shortfalls</i>	321
D.2.2	<i>Assumptions Relied Upon</i>	322
D.2.3	<i>Perceived Limitations</i>	322
D.3	WIDER IMPLICATIONS OF THE STUDY	323
D.3.1	<i>Future Agricultural Development in the Stann Creek District</i>	323
D.3.2	<i>Improvement of Current Farming Practices</i>	324
D.3.3	<i>Adoption of Survey Methodologies</i>	324
D.3.4	<i>Monitoring Needs</i>	325

SECTION E. CONCLUSIONS AND RECOMMENDATIONS

E.1	CONCLUSIONS	326
E.2	RECOMMENDATIONS	328

REFERENCES

330



LIST OF FIGURES

Figure A.1.4_1	Catchments and sub-catchments studied in the WRIScS project	5
Figure A.2.1_1	General location of Belize and Stann Creek District in the region	13
Figure A.2.1_2	The WRIScS Study Area	14
Figure A.2.2_1	The Structure of the Coastal Zone of Belize	16
Figure A.2.2_2	WRIScS Marine Study Area and adjacent reefs	17
Figure A.2.3_1	The Twenty-year Mean Monthly Temperature	19
Figure A.2.3_2	Mean Monthly Temperature for 1998	20
Figure A.2.3_3	Mean Monthly Temperature for 1999	20
Figure A.2.3_4	The twenty-year Mean Monthly Precipitation	21
Figure A.2.3_5	The Twenty-year Mean number of rain days per month	22
Figure A.2.3_6	Total Monthly rainfall for 1998	23
Figure A.2.3_7	Total monthly rainfall for 1999	23
Figure A.2.3_8	The Spatial distribution of vegetation and agricultural land-use in the study area during 1989 to 1992	28
Figure A.2.4_1	Agricultural Potential of lands in the Stann Creek District (including Protected Areas and Forest Reserves)	29
Figure A.2.4_2	Percent of National Total Citrus Acreage planted in the Stann Creek District	30
Figure A.2.4_3	Percent of National Total Banana Acreage planted in the Stann Creek District	31
Figure A.2.4_4	Citrus and Banana as percent of total land being farmed in the Stann Creek District	31
Figure A.2.4_5	Growth of the Citrus and Banana Industries	32
Figure A.2.4_6	Expansion of Citrus in the North Stann Creek Catchment (above main monitoring site at Melinda Forest Station)	33
Figure A.2.4_7	Expansion of Citrus in the Sittee River Catchment (above main monitoring site at Kendal Bridge)	34
Figure A.2.4_8	Expansion of Citrus in the South Stann Creek Catchment (above main monitoring site at South Stann Creek Bridge)	35
Figure A.2.4_9	Expansion of Banana in the South Stann Creek Catchment (above main monitoring site at South Stann Creek Bridge)	36
Figure A.2.5_1	Stann Creek District Population Growth in relation to the Country over the last 50 years.	37
Figure A.2.5_2	Urban and Rural Population Growth for the recent 80 Years in Stann Creek District	38
Figure A.2.6_1	National Employment within major sectors of importance to the WRIScS study area	39
Figure A.2.6_2	Percentage Contribution to GDP of major sectors within the WRIScS study area	40
Figure A.2.6_3	Percentage Contribution to Total Export Revenue from major domestic products	41
Figure B.1.1_1	Diagram Showing the processes under study in the WRIScS project	44
Figure B.1.2_1	Stage-Discharge Relationships for monitoring sites on North Stann Creek, Middlesex (A), North Stann Creek, Melinda(B), Sittee River (C) and South Stann Creek (D).	47
Figure B.1.2_2	Flow duration curves for North Stann Creek at Middlesex(A) and Melinda(B)	51
Figure B.1.2_3	Flow duration curves for Sittee River (A) and South Stann Creek (B)	52
Figure B.1.2_4	Stage records at Fridge, Pomona, Middlesex and Melinda Sites on North Stann Creek	55
Figure B.1.3_1	Probe calibrations of Analite turbidity probes. Calibration to formazine solution (A) and calibration to filtered suspended sediment samples from the relevant river; South Stann Creek Highway (B), Sittee River (C), S. Stann Creek, Banana (d)	58

LIST OF FIGURES continued

Figure B.1.3_2	Probe calibrations of Partech turbidity probes. Calibration to concentration derived using calibrated Analite Probes for North Stann, Middlesex (A) the Sittee River (B), and calibration to filtered suspended sediment samples for South. Stann Creek (C)	59
Figure B.1.3_3	Suspended Sediment duration curves for North Stann Creek at Middlesex (A) and Melinda (B).	62
Figure B.1.3_4	Suspended sediment duration curves for Sittee River (A) and South Stann Creek (B).	63
Figure B.1.3_5	Suspended sediment loads duration for North Stann Creek Middlesex (A) and Melinda (B)	64
Figure B.1.3_6	Suspended sediment load duration curves for Sittee River (A) and South Stann Creek (B)	65
Figure B.1.3_7	Storm analysis for selected events on Sittee River During 1999	71
Figure B.1.3_8	Storm analysis for selected events on South Stann Creek (Highway) during 1999	72
Figure B.1.4_1	Location Map. Current meter sites are square black symbols, CTD profiling stations are numbered circles, hydrodynamic boundaries described in text are numbered 1-6.	74
Figure B.1.4_2	Weekly total water discharge from the North Stann, Sittee and South Stann Rivers.	76
Figure B.1.4_3	Formation of secondary flow helices along a channel axis by wind action	77
Figure B.1.4_4	Belize International Airport Wind Data. Sensor 10m above ground Hourly Mean, maximum gust and direction.	78
Figure B.1.4_5	Comparison of simultaneously recorded wind conditions at the Airport and Island Sites. A-wind speed B- Wind direction	79
Figure B.1.4_6	Prevailing currents in the Western Caribbean	81
Figure B.1.4_7	Examples of current meter data; time series (left) and progressive vector (right) plots. Datasets C05s11_9 (top) C05N01_9 (centre) and C05K02_9 (bottom).	82
Figure B.1.4_8	Example of semi-diurnal periodicity in velocity distribution	83
Figure B.1.4_9	Spatial and temporal variability in residual flow in the study area in 1999	85
Figure B.1.4_10	Scatter plot of simultaneously recorded wind and sea current data. NCM site. Dry season. A- North -South wind component B- East-West wind component All Data. C-North-South wind component D- East-West wind component.	88
Figure B.1.4_11	Scatter plot of simultaneously recorded wind and sea current data. Sittee site. Dry season. A- North -South wind component B- East-West wind component All Data. C-North-South wind component D- East-West wind component.	90
Figure B.1.4_12	Scatter plot of simultaneously recorded wind and sea current data. Lark Site Dry season. A- North -South wind component B- East-West wind component All Data. C-North-South wind component D- East-West wind component.	92
Figure B.1.4_13	Scatter plot of sea current North-South component against total river discharge. Individual points are grey crosses; a one week moving average is shown in black (river data are weekly averages). A - NCM B - Sittee and C - Lark current meter sites.	94
Figure B.1.4_14	Near-bed and near-surface salinity (A&B) and temperature C&D data, plotted as a contoured scatter-plot of time vs profile number	97
Figure B.1.4_15	Salinity(A&B) and temperature (C&D) distributions near the bed (A&C) and at the water surface (B&D) on 31st January 1999 (dry season).	99
Figure B.1.4_16	Salinity (A&B) and temperature (C&D) distributions near the bed (A&C) and at the water surface (B&D) on 2nd of September 1999 (wet season).	100

LIST OF FIGURES continued

Figure B.1.4_17	Salinity and Temperatures profiles from two surveys, typical of dry season and wet season conditions.	102
Figure B.1.5_1	Suspended sediment concentrations determined by filtration. Water samples were collected at half the secchi-depth.	109
Figure B.1.5_2	Relationship between secchi-depth and gravimetrically determined suspended sediment concentration.	110
Figure B.1.5_3	Time-series of all secchi-disk reading recorded during 1998 and 1999. Linear and 6th order polynomial trend lines fitted to the data are shown.	111
Figure B.1.5_4	Secchi-depth data for all surveys, plotted as a contoured scatter plot of time vs profile number. River sediment weekly loads (Table B.1.5_1) are shown for each river as black diamonds (scaled to discharge). Data points are white diamonds.	112
Figure B.1.5_5	Time series showing annual variation of secchi-depth for three regime-types. Annual pattern of river sediment input also shown.	114
Figure B.1.5_6	Secchi-depth distributions related to wind (wave) conditions	116
Figure B.1.5_7	Secchi-depth distributions occurring in the early wet season.	118
Figure B.1.5_8	Secchi-depth distributions occurring in the late wet season	120
Figure B.1.5_9	CTTD Profiles 1/13/99 3/14/99	124
Figure B.1.5_10	CTTD Profiles 7/26/99 10/17/99	125
Figure B.1.5_11	CTTD Profiles 8/8/99 9/2/99	126
Figure B.1.5_12	Trap Sediment fallout time series	131
Figure B.1.5_13	Carbonate content of trap samples plotted as a time series	132
Figure B.2.1_1	Caesium-137(A) and excess Lead-210(A) profiles from a core collected in the Sittee River basin (+ marks in B indicate half-life multiples points)	138
Figure B.2.1_2	Caesium-137(A) and excess Lead-210(B) profiles from a core collected on South Stann Creek (+ marks in B indicate half-life multiples points)	139
Figure B.2.1_3	Caesium-137(A) and excess Lead-210(B) profiles from a core collected on North Stann Creek (+ marks in B indicate half-life multiples points)	140
Figure B.2.1_4	Depth profiles of carbon and nitrogen for selected sections taken from the Sittee (A), South Stann (B) and North Stann (C) cores.	142
Figure B.2.1_5	Depth profiles of total, organic and inorganic phosphorus for selected sections taken from the Sittee (A), South Stann (B) and North Stann (C) cores.	143
Figure B.2.2_1	(A) Variation in metal concentration at North Stann Creek, Melinda site during the rainy season for 1998 and 1999.	152
	(B) Variation in metal concentration at South Stann Creek, highway site during the rainy season for 1998 and 1999.	152
Figure B.2.3_1	Study Area, bathymetry and seabed sampling sites	156
Figure B.2.3_2	Cross-sections of the channel between the Mainland and the Reef	157
Figure B.2.3_3	Acoustic ('pinger') section of seabed sediments at a site just south of Belize City	159
Figure B.2.3_4	Distribution of mud (silt\clay)	161
Figure B.2.3_5	Distribution of sand	162
Figure B.2.3_6	Distribution of gravel	163
Figure B.2.3_7	Distribution of clay-sized material within the mud fraction	165

LIST OF FIGURES continued

Figure B.2.3_8	Distribution of organic matter within the mud fraction	166
Figure B.2.3_9	Distribution of carbonate within the mud fraction	167
Figure B.2.3_10	Relationship between % organic matter and % clay-sized particles (A), % organic matter and % carbonate (B) and carbonate and % clay-sized particles (C) in the mud fraction.	168
Figure B.2.3_11	Dependency of sediment porosity on sand content and depth of burial.	170
Figure B.2.3_12	Vertical variation of sediment parameters in core at Site 4	173
Figure B.2.3_13	Vertical variation of sediment parameters in core at Site 23	173
Figure B.2.3_14	RoxAnn survey locations	177
Figure B.2.3_15	Examples E1 and E2 data variability at three Cross-Over points. A&B. Track data plotted as time series plots (Arrows indicate point at which the two lines cross). C. Data from a cross-over shown as scatter plot.	179
Figure B.2.3_16	A. Joint Frequency Plots for E1 and E2 mode values from the channel area.	182
	B. Joint Frequency Plots for E1 and E2 mode values from the marginal areas.	183
	C. Joint Frequency Plots for E1 and E2 mode values from all the local surveys areas.	184
Figure B.2.3_17	The distribution of acoustic seabed types. Coral areas are black: for definition of red, blue, green and orange zones see figure B.2.3_16.	186
Figure B.2.4_1	Correlation between the various potential substrates of metal attachment.	196
Figure B.2.4_2	Distribution of Aluminium in seabed surface sediments	199
Figure B.2.4_3	Distribution of Iron in seabed surface sediments	200
Figure B.2.4_4	A. Correlations between % clay-sized material and trace metals	203
	B. Correlations between % organic matter and trace metals	204
	C. Correlation between % carbonate and trace metals	205
	D. Correlation between Aluminium content and other trace metals. Where the base correlation is used, outliers are identified.	206
	E. Correlation between Lithium content and other trace metals.	207
	F. Correlation between Iron and other trace metals. Where the base correlations is used, outliers are identified.	208
Figure B.2.4_5	Vertical variability in metal concentrations	211
Figure B.2.4_6	Aluminium content of material collected in suspended sediment traps	212
Figure B.2.4_7	Correlation between the Carbonate and Aluminium content of trap samples.	213
Figure B.2.5_1	Map showing seabed conditions and surveys transects, NCM Site	219
Figure B.2.5_2	Map showing seabed conditions and surveys transects, COCO Sites.	220
Figure B.2.5_3	Map showing seabed conditions and surveys transects, SITTEE site	221
Figure B.2.5_4	Map showing seabed conditions and surveys transects, LARK site	222
Figure B.2.5_5	Map showing seabed conditions and surveys transects CARY site	223
Figure B.2.5_6	Seabed hardness/roughness conditions at the local coral surveys sites.	224
Figure B.2.5_7	Seabed depth, relief and sediment mapping categories	225
Figure B.2.5_8	Sessile Epibenthos mapping categories	226
Figure B.2.5_9	Coral mapping categories(1)	227
	Coral mapping categories(2)	228
Figure B.2.5_10	Example of CocoPlum Transect (mA201_8)	229

LIST OF FIGURES continued

Figure B.2.5_11	Variation with depth of the frequency with which the Density Index for Live Coral exceeded 20% at all CocoPlum Cay sites.	230
Figure B.2.5_12	Variation with depth of the frequency with which the Density Index for Dead Coral exceeded 20% at all CocoPlum Cay sites.	230
Figure B.2.5_13	The distribution of coral types with depth at CocoPlum Cay.	232
Figure B.2.5_14	Correlation matrix, all Cocoplum data	234
Figure B.2.5_15	Example of Cary Cay Transect (mB201_0)	235
Figure B.2.5_16	Variation with depth of the frequency with which the Density Index for Live Coral exceeded 20% at all Cary Cay sites.	236
Figure B.2.5_17	Variation with depth of the frequency with which the Density Index for Dead Coral Rock exceeded 20 % at all Cary Cay sites.	236
Figure B.2.5_18	The distribution of coral types with depth at Cary Cay.	238
Figure B.2.5_19	Correlation matrix, all Cary data	239
Figure B.2.5_20	NCM Transect (mA201_0)	240
Figure B.2.5_21	Variation with depth of the frequency with which the Density Index for live Coral exceeded 20 % at the NCM site.	241
Figure B.2.5_22	Variation with depth of the frequency with which the Density Index for Dead Coral Rock exceeded 20 % at the NCM site.	242
Figure B.2.5_23	The distribution of coral types with depth at the NCM site	243
Figure B.2.5_24	Correlation matrix, NCM data	244
Figure B.2.5_25	Sittee Site Transect (Ma202_8)	245
Figure B.2.5_26	Variation with depth of the frequency with which the Density Index for Live Coral exceeded 20% at the Sittee site	246
Figure B.2.5_27	Variation with depth of the frequency with which the Density Index for Dead Coral Rock exceeded 20 % at the Sittee site.	246
Figure B.2.5_28	The distribution of coral types with depth at the Sittee Site	248
Figure B.2.5_29	Correlation matrix, Sittee data	249
Figure B.2.5_30	Lark Rock Transect (mB201_9)	250
Figure B.2.5_31	Variation with depth of frequency with which the Density Index for Live Coral exceeded 20 % at Lark Rock.	251
Figure B.2.5_32	Variation with depth of frequency with which the Density Index for Dead Coral Rock exceeded 20 % at Lark Rock.	251
Figure B.2.5_33	The distribution of coral types with depth at Lark Rock	253
Figure B.2.5_34	Correlation matrix, Lark Rock	254
Figure B.2.5_35	Inter-site comparison of Seabed composition. Shows averages of all DI data from the same depth at each site.	256
Figure B.2.5_36	Inter-site comparison of Coral Types. Shows averages of all DI data from the same depth at each site.	258
Figure B.2.5_37	Inter-site comparison of sessile epibenthic fauna. Shows averages of all DI data from the same depth at each site.	259
Figure B.2.5_38	Inter-site comparison of epibenthic flora. Shows averages of all DI data from the same depth at each site.	260

LIST OF FIGURES continued

Figure C.1.1_1	The relative contributions indicated by the mixing model for each of the potential sources of suspended sediment collected at South Stann Creek Highway site.	264
Figure C.1.1_2	Mean load-weighted contributions from the potential sources of suspended sediment for South Stann Creek Highway site.	265
Figure C.1.1_3	The relative contributions from each of the potential sources to the suspended sediment samples from the Banana Farm Site on the South Stann Creek.	266
Figure C.1.1_4	Mean load-weighted contributions from the potential sources of suspended sediment for the Banana Farm site on South Stann Creek.	267
Figure C.1.1_5	The relative contributions indicated by the mixing model for each of the potential sources of suspended sediment collected at Sittee River.	268
Figure C.1.1_6	Mean load-weighted contributions from the potential sources of Suspended Sediment in the Sittee River	268
Figure C.1.1_7	The relative contributions indicated by the mixing model from each of the potential sources of suspended sediment collected at North Stann Creek Middlesex(A), Melinda(B) and Dangriga (C).	269
Figure C.1.1_8	Mean load-weighted contribution from the potential sources of suspended sediment in the North Stann Creek at Middlesex.	272
Figure C.1.1_9	Mean contribution from the potential sources of suspended sediment in the North Stann Creek, Melinda(A) and Dangriga(B).	272
Figure C.1.2_1	The delivery of water and suspended sediment through the study area	287
Figure C.2.1_1	Duration curves for east-going components of flow recorded at the Sittee and NCM current sites, showing days taken to reach the reef.	292
Figure C.2.1_2	Processes causing dilution during advection	293
Figure C.2.1_2	Minimum salinity measured along the reef margins	294
Figure C.2.1_3	Model of suspended sediment conditions across the channel A. Dry season, river at 10mg l-1, final dilution x30 B. River flood, river at 100mg l-1, final dilution x20 C. Extreme conditions, river at 1000mg l-1, final dilution x10	298
Figure C.2.2_1	A model of the movement of suspended sediment bodies through and within the study area.	304
Figure C.2.3_1	Modelled relationship between past (natural) and present suspended sediment concentrations produced by direct transfer of turbid river water to the reef.	310
Figure C.2.3_2	Copper concentrations in the mud fraction of the seabed surface sediments.	315

LIST OF TABLES

	<i>Page</i>
Table A.1.4_1 Main Chemical used on citrus farms	8
Table A.1.4_2 Main Chemical used on banana farms	9
Table A.2.3_1 Annual rainfall for catchements in the WRIScS study area	21
Table B.1.2_1 Monthly mean discharge of North Stann Creek for 1998 and 1999	48
Table B.1.2_2 Monthly mean discharge of Sittee River for 1998 and 1999	49
Table B.1.2_3 Monthly mean discharge of South Stann Creek for 1998 and 1999	49
Table B.1.2_4 Runoff in each basin during rainy season months for the study period	50
Table B.1.2_5 Number of flood events during the study period. Events defined by exceeding the upper 10 percentile of the flow duration curve.	53
Table B.1.2_6 Travel times between sites throughout North Stann Creek	54
Table B.1.2_7 Travel times of peaks between Highway and Banana sites on South Stann Creek	56
Table B.1.3_1 Suspended sediment events. Event defined by exceeding the upper 10 percentile of the suspended sediment duration curve.	61
Table B.1.3_2 Specific Suspended Loads for 1999 and the contribution of the rainy season to the total load.	66
Table B.1.3_3 Suspended sediment loads during the rainy season of the study period	67
Table B.1.3_4 Monthly specific suspended sediment loads for North Stann Creek during 1998 and 1999	68
Table B.1.3_5 Monthly specific suspended sediment loads for River Sittee during 1998 and 1999	68
Table B.1.3_6 Monthly specific suspended sediment loads for South Stann Creek during 1998 and 1999	69
Table B.1.4_1 Current Meter deployments	83
Table B.1.4_2 List of CTD runs, and dilution calculation based on average data for each run.	96
Table B.1.5_1 Fluvial sediment discharged to the sea, 1998 and 1999. Weekly average loads and suspended sediment concentrations for weeks when total load > 1000 tonnes.	108
Table B.1.5_2 Suspended Sediment Trap Results	130
Table B.2.1_1 Location and site description of soil samples collected for trace organic analysis	144
Table B.2.1_2 Results of analysis of soil samples for pesticide compounds	145
Table B.2.2_1 Mean Particle-size characteristics of river suspended sediments collected from each of the study sites over a range of conditions.	147
Table B.2.2_2 Average metal concentrations in suspended sediment samples from all the rivers during the study period 1998-99. The range for all samples from each site is shown in brackets.	149
Table B.2.2_3 Global of concentration of trace metal in soils.	150
Table B.2.2_4 Correlation coefficients for linear regressions between the clay and metal content of river sediments	151
Table B.2.2_5 Non-metal analyses of river suspended sediment samples collected during the study period. Results shown are the average for all samples collected at each of the sites.	154
Table B.2.3_1 Cross-Over point analysis data.	180
Table B.2.3_2 Physical characteristics of sediments in each of the acoustic substrate types.	187
Table B.2.4_1 List of samples analysed for trace organic compounds	189
Table B.2.4_2 Screening list for trace organic compounds, with associated Quantitation Limits	191
Table B.2.4_3 Screening list for trace metals and associated Quantitation and detection Limits(A), and Quality Checking data (B &C).	193
Table B.2.4_4 Comparison of trace metal concentration in coastal sediments of the Stann Creek District with concentration elsewhere in Central America, and with internationally defined 'uncontaminated' sediments	194
Table B.2.4_5 Trace metals and metal-substrates correlation matrix. Correlation coefficients (R ²) are tabulated.	197

LIST OF TABLES continued

Table	B.2.4_6	Sites with locally elevated concentrations of trace metals	209
Table	B.2.5_1	Listing of all SCUBA surveys completed to specification	216
Table	C.1.2_1	Mean monthly discharge for selected rivers in the region. Water discharge measurements for rivers in the Stann Creek District are also shown.	274
Table	C.1.2_2	Runoff at each monitoring site during rainy season months for the study period. Annual data are shown where available.	275
Table	C.1.2_3	The measured fresh water discharge from each of the studied rivers	276
Table	C.1.2_4	Global examples of specific suspended sediment yields (Walling 1996)	277
Table	C.1.2_5	The specific suspended sediment loads during the rainy season months at each of the monitoring sites in the study area	278
Table	C.1.2_6	The relative contribution of each of the potential sources of suspended sediment to catchment suspended sediment yields.	279
Table	C.1.2_7	The total suspended sediment yield from the basins in the study area	280
Table	C.1.2_8	The total delivery of suspended sediment to the Coastal Zone derived from different land-use types during 1999.	281
Table	C.1.2_9	Water discharge and suspended sediment load during the Hurricane Mitch event.	283
Table	C.2.1_1	Inputs and outputs for Excel 'Model' for predicting the behaviour of sediment suspensions in transit across the channel (only the first 4 km the river mouth are shown).	296
Table	C.2.2_1	Bed Shear Stresses under wave activity. A. Critical wind conditions and associated wave characteristics predicted for the study area. B. Predictions of bed shear stresses (Newtons m ⁻²) for range of depths and wave characteristics.	301
Table	C.2.3_1	Comparison of average marine and terrestrial trace metal concentrations, ranked according to degree of difference.	312
Table	C.2.3_2	Ranking of Coral Survey Sites according to degree of river impact. Also shown are distances to nearest influential river mouth.	317

LIST OF PLATES

Plate	B.2.3_1	Radiographs of sediment cores A Site 24, B site 4, C Site 37	172
Plate	B.2.4_1	Radiograph of coral section. Lesser Starlet from Tobacco Reef	214